

TOYOTA LAND CRUSER























Short Wheelbase







The heavy-duty rough-terrain vehicles. Short Wheelbase Land Cruisers. Short Wheelbase Land Cruisers are the tough vehicles that take you to rough terrain. And now these rugged Land Cruisers, both Hard Top and Soft Top, have a fresh modern look. You'll notice the new styling immediately—a tough, masculine profile that updates the great Land Cruiser tradition. There's a new crisp front fender line and clean contemporary styling—an aerodynamic profile that employs curved glass, fit flush with the body panels to reduce drag for better high-speed cruising and economy. You'll also find 40% more glass area for better visibility.

Body type	Engine	Wheelbase	Seating capacity				
Hard Top	Top 4.0-litre gasoline	Short	2, 3, 5, 6, 7				
Soft Top	3.4-litre diesel	SHOIL	2, 3, 3, 0, 7				


















Optional electric sunroof opens and closes with a single switch. Its fail-safe system takes the roof to the latch point when CLOSE is pushed, then stops. The switch must be pushed again to close the roof completely.

Middle Wheelbase




FRP Top

Cet away from it all with modern styling and more space.


Middle Wheelbase Land Cruisers.


Here's a truly versatile Land Cruiser, with a new modern-looking top made of durable Fibre Reinforced Plastic (FRP). With its bright, contemporary good looks, Land Cruiser FRP Top sets a new standard for off-road vehicle styling. No matter what your leisure plans, the new Middle Wheelbase Land Cruisers are ready to take you there. The longer wheelbase and higher canopy top provide plenty of room inside for passengers to stretch out, and room left over in the rear for cargo. Comfortable and spacious, these Land Cruisers make a great way to get away.


Body type	Engine	Wheelbase	Seating capacity				
RP Top		V E 11	2, 3, 5, 6				
Soft Top	4.0-litre gasoline	Middle	2, 3, 5, 6, 8, 9				















The FRP Top model looks as fresh and stylish inside as it does outside. The interior roll bar is designed to allow greater head room, and complements the stylish roof garnish. It's another example of Toyota's attention to detail and quality.

Long Wheelbase



Body type

Hard Top

Hard Top/Pickup

Hard-working vehicles you can trust. Long Wheelbase Land Cruisers. For getting people or a payload to a remote site, nothing beats these big Land Cruisers—the Long Wheelbase Hard Top and Pickup. And like all Land Cruisers, they're built for working under the most adverse conditions. The new Pickup has clean new cab styling, and is now available with sporty side stripes. There's a large deck area, and improved heavy-duty leaf springs to carry big loads. The newly-styled Hard Top is remarkably spacious inside, with a higher roofline, wide cabin and plenty of space to carry lots of passengers in greater comfort than ever before.

Pickup	3.4-litre diesel	Long	3, 12, 13

Wheelbase

Seating capacity

2, 3, 5, 6, 12, 13

Engine


4.0-litre gasoline



range is yours. With the optional 90-litre extra fuel tank available for Pickups and Hard Tops. That's 180 litres in all, with separate fuel gauges in the dash to tell you at a glance how much running time is left.

LAND CRUISER II







Nimble and powerful new Land Cruiser II.


New Land Cruiser II is a rugged, fun-loving outdoor vehicle with surprising comfort and outstanding versatility. It's powered by your choice of a strong 2.4-litre gasoline engine or reliable 2.4-litre diesel. Both are designed for light weight and top fuel efficiency. But even though they're lighter, these are true Land Cruiser engines—durable and hard working. Land Cruiser II has coil springs on all four wheels for an extra-smooth ride and, of course, Land Cruiser's famous four-wheel drive transmission.

Body type	Engine	Wheelbase	Seating capacity
Hard Top	2.4-litre gasoline	Short	22567
Soft Top	2.4-litre diesel	Snort	2, 3, 5, 6, 7
















New Land Cruiser II's soft top can be completely removed so you can enjoy the out-of-doors more fully. Built-in roll bar stiffens the top, too. This convertible aspect adds to the sporty air of this new model.



Land Cruiser's surprising new interior comforts.

Land Cruiser is famous for off-road ruggedness. Now, Toyota has made it as comfortable as a passenger car inside. You'll find a crisp modern dash panel, big bright interior, and well-upholstered comfortable seats. In addition to thorough ventilation and great visibility, you'll find such unexpected optional luxuries as tilt steering, power windows and fine car stereo.

● Optional power steering adds driveability to Land Cruiser ruggedness. ② Optional tilt steering lets the driver set the wheel at the most comfortable angle. ③ Optional AM/FM radio and hi-fi stereo. ④ Optional accessory meter console can contain an altimeter and clinometer, or a fuel gauge for the optional 90-litre tank. ⑤ Optional two-stage suspension seat smooths out Land Cruiser's on- and off-road ride. ⑥ Optional front bench seat swings forward for easy access

to the rear. (Seat shown is of European specifications.) Land Cruiser ventilation is designed for optimum operation. (A: Front ventilation control is set in dash panel for easy operation. B: Rear heater control is optional for Short and Middle Wheelbase models. C: Rear heater control is optional for Hard Top, Long Wheelbase models.)

3 Optional console box. Opener windows

3 Optional console box. **9** Power windows are an option on Hard Top, Short Wheelbase and FRP Top models.

• Optional rear wiper/washer and defogger helps keep the view to the rear clear in all kinds of weather (Hard Top, Short Wheelbase and FRP Top models).
• Optional fog Jamps provide added

Optional fog lamps provide added visibility. Optional roof-top rack. (Hard Top, Short/Long wheelbase models)

Captage side step facilitates access. The rear step bumper (optional for Pickup models).

Available options differ with grades and body types. Get details from your Toyota dealer. Station Wagon




Station Wagon




Handsome styling and greater comforts—luxurious Land Cruiser Station Wagon. Outdoor life will never be the same. Luxurious Land Cruiser Station Wagon brings high style and luxurious comfort to the toughness and dependability of Land Cruiser. Crisp aerodynamic styling improves high-speed stability and provides a new level of car-like comfort inside. Land Cruiser Station Wagon is available in Standard and High Roof variations in "Wagon G" and "Wagon" models and High Roof "Wagon GX" with a third seat. Land Cruiser Station Wagon has plenty of power, handles easily, and lives up to the Land Cruiser tradition of tough off-road performance and durability.


Grade	Body type	Engine	Seating capacity				
Vagon Vagon G	Standard Roof	4.0-litre gasoline/diesel 3.4-litre diesel	5, 6, 9, 10				
	High Roof	4,0-litre gasoline	5, 6, 8, 9, 10				
Wagon G	Standard/High Roof	4.0-litre gasoline	5, 6 8, 9				
Wagon GX	High Roof	4.0-litre diesel					















Land Cruiser Wagons now have front/rear air conditioning available. Controls are separate so the rear cooling can be set from either front or rear seats. Ducts are led to the ceiling between the second and third seats so that occupants of both get adequate cool air.





● Land Cruiser seats adjust on a long positioning track, and they recline fully for individualized comfort. ② Headrests for the second seats are optional. ③ Optional power windows add a touch of comfort. ④ Rear heaters are available as comfortable

options. © Optional fuel lid can be opened from the driver's seat. © Wagon G back door swings up for easy access. Wagon rear swing-out doors.

Available options differ with grades and body types. Get details from your Toyota dealer


Inside the Station Wagon-exceptional comforts.

Hard to believe you're sitting in a rugged four-wheel-drive vehicle. Land Cruiser Station Wagon looks more like a well-appointed luxury car. Settle back in finely-upholstered soft seats that are moulded for excellent lateral support. Front seats recline to an almost flat position, and have adjustable head rests. The interior is fully carpeted, and finished in high quality trim. A handy console box between the front seats provides a convenient storage place for your small items. Turn on the air conditioner, relax with a little stereo music. This is a truly unique Land Cruiser experience.



Land Cruiser Wagon's instrument panel has been modernized and made more useful. Every control, every switch, and every meter is placed ergonometrically for convenience, letting you monitor the condition of the vehicle at all times. An automatic transmission allows virtually anyone to enjoy off-road driving. And four-wheel drive can be selected with one-touch 2-4 selector switch.


Wagon G, High Roof





Toyota Quality—the secret of Land Cruiser's famous durability.

Every Toyota Land Cruiser undergoes extraordinary measures to protect it from the damaging effects of rust and corrosion. Galvanealed steel and newly-developed rust-resistant metals are used extensively. Body parts are shaped to prevent moisture from collecting inside. Bodies are dipped in electrodeposit anti-corrosion baths and get a thorough undercoating. Then, prototypes are tested for resistance to water and salt. But the most important test Land Cruiser has ever passed is the test of time. Satisfied owners have put Toyota to that test and come out winners. All over the world.



Land Cruiser set the standards in four-wheel-drive toughness. And today's Land Cruisers live up to that same high standard. The body and frame are built rugged and rigid. Frame plates are thick. And the whole is welded, not riveted, for frame strength. The new closed-section frame-building technique gives the new Land Cruisers a strong, rugged frame you can count on. Famous Land Cruiser toughness has gone a step further.

SPECIFICATIONS Hard Top Short Wheelbase			LAND CRUISER Hard Top Soft Top FRP Top Soft Top						To a second seco						LAND CRUISER II Hard Top Soft Top				Wagon	ISER STATION					Wagon Cil	gon G/GX*10
		1000	Hard Top Soft Top						Hard Top Pickup												High Dool	High Roof				
		rt Wheelbase Middle Wheelbase					Long Wheelbase							Short Wheelbase			Standard Roof High Roof			High Koot	Standard Roof H		riigii Kooi	High Koof		
IMENSIONS & WEIGHTS															1,000				4675							
Overall length	ı	nm.	4060			The same	4350		4995			4885			4060				4675							
Overall width	ı	nm.	1690												0		4000	4045	1800			1005	1025		1005	
Overall height	r	mm.	1900		1910			1955	2080			1935/1940*3	1930/1935*	1935/1940*			1920	1915	1805			1935	1825		1965	
Wheelbase	1	nm.	2310				2600		2980						2310				2730							
Tread	Front r	mm.	1415																1475							
	Rear 1	mm.	1410																1460							
Ground clearance	1	nm.	205						230						225				205	-	Till Be B		215		230	
Deck inside	Length*1	mm.	1065/875*5				1165	1355/1165*5	2085/1870*5			2155			1065/875*5				1765				1770			
	Width I	nm.	1510/1170*6		1580/1170*	*6	1470	1580/1170*6	0*6 1510/1170*6			1600/1665*8/	1260*9		1510/1170*6 1580/117		1580/1170*6	80/1170*6		1520						
	Height r	nm.	1110		1130		1160	1130	1265			415/1375*9			1110		1130		1045			1145	1025		1125	
Kerb weight*2 (4-speed	d manual)	kg.	1660/1665*4/ 1710* ⁷	1705/1710*4	1630/1635* 1680* ⁷	1675	1755*4	1715/1720*4	1900/1905*4	1995	1950	1770/1775*4	1865/1870*4	1820	1475	1550/1555*4	1445/1450*4	1520	1885/1890**	1950	1900/1905*	4 1895	1915/1920*4/ 1970*7	/ 1980	1925•1965(GX)/ 1930•4•1970•4 (G 1980•7•2020•7 (G	GXI/ GXI/ 2030*4 (C
Gross vehicle weight		kg.	2380				2410		3035						2110				2760			2910	2760		2910	
NGINE																										
Туре				4-cyl. in-line OHV	6-cyl. in-lin OHV	ne 4-cyl. in-line OHV	e 6-cyl. in-lin OHV	e			4-cyl. in-line OHV	e 6-cyl. in-line OHV		4-cyl. in-line OHV	e 4-cyl. in-lin OHC	e			6-cyl. in-line OHV	e	4-cyl. in-lin OHV	e 6-cyl. in-lin OHV	e			
			Gasoline	Diesel	Gasoline	Diesel	Gasoline			Diesel		Gasoline	Diesel		Gasoline	Diesel	Gasoline	Diesel	Gasoline	Diesel		Gasoline		Diesel	Gasoline	Diesel
Piston displacement		CC.	3955	3431	3955	3431	3955	- S. M. S. D.		3980	3431	3955	3980	3431	2366	2446	2366	2446	3955	3980	3431	3955		3980	3955	3980
Bore and stroke	,	mm.	94 x 95	102 x 105	94 x 95	102 x 105	94 x 95	M. S.		91 x 102	102 x 105	94 x 95	91 x 102	102 x 105	92 x 89	92 x 92	92 x 89	92 x 92	94 x 95	91 x 102	102 x 105	94 x 95		91 x 102	94 x 95	91 x 102
Compression ratio		to 1	8.1	20.0	8.7	20.0	8.7			20.7	20.0	8.1	20.7	20.0	9.0	22.3	9.0	22.3	8.1	20.7	20.0	8.1		20.7	8.7	20.7
Max. horsepower (SAE	net) kW/		101-108*7 / 4200	69/3500	101-108* ⁷ / 4200	69/3500	101/4200			79/3500	69/3500	101/4200	79/3500	69/3500	77/4800	55/4000	77/4800	55/4000	101/4200	79/3500	69/3500	101/4200	108/4200	79/3500	108/4200	79/3500
Max. torque (SAE net)	Nm/	rpm	275/2200	221/2100	275/2200	221/2100	275/2200			246/1800	221/2100	275/2200	246/1800	221/2100	184/3200	158/2200	184/3200	158/2200	275/2200	246/1800	221/2100	275/2200		246/1800	275/2200	246/1800
Fuel system		1000	Down-draft,	2-barrel, singl	le carburetto	r (Gasoline en	gines); Distrib	ution type fue	l injection pun	mp (2.4-litre	Diesel engine); In-line type	fuel injection	on (Other Die	esel engines)											
Fuel tank capacity	1	itres	90			R. Branch M.	a live se		90/180*11						90											
HASSIS																										
Clutch			Single dry pl	late with diap	hragm spring	gs (Manual tran	nsmission)																			
Suspension	Front		Semi-elliptic	leaf springs											Coil spring:	s			Semi-elliption	c leaf springs						
	Rear		Semi-elliptic	leaf springs											Coil spring:	s			Semi-elliption	c leaf springs						
Brakes	Front/Rear			tandem maste	r cylinders ai	nd booster																				
Transmission	4-speed manual					n: 1.000; Rev.: n: 1.000; Rev.:		Cruiser II)																		
	5-speed manual					n: 1.000; 5th: (n: 1.000; 5th: (.843 .743 (Land Cru	iser II)																	
	4-speed automatic		1st: 2.950; 2	2nd: 1.530; 3rd	d: 1.000; 4th	n: 0.717; Rev.:	2.678																			
Transfer shift			2-speed, her	rical gear ratio	; Low: 1.960), High: 1.000 /	Low: 2.276, I	High: 1.000 (La	nd Cruiser II)																	
Final reduction gear rat	tio	to 1	4.111/3.700 ((4.0-litre gaso	line models	with manual ti	ransmission)								4.300/4.875	(Diesel mode	ls)		4.111/3.700	(4.0-litre gase	oline models v	with manual to	ransmission an	d 4.0-litre die	esel models)	
Steering			Ball nut																							
Min. turning radius (Ty	res)	m.	5.3/5.7 (4WE	D)		1000	5.8/6.2 (4W	(D)	6.5/6.9 (4WE	0)					5.3/5.7 (4W	(D)			6.2/6.7 (4W	(D)						
Tyres	Front/Rear	12/12/1	7.00-15-6PRI	LT					7.50-16-8PRI	LT					7.00-15-6P	RLT			7.00-15-6PF	RLT			7.00-16-6PR	LT	7.50-16-6P	RLT

^{*10:} With transverse third seat
*5: With transverse rear seats models
*6: With facing rear seats models
*6: With facing rear seats models

[•] Note: Vehicles pictured in this catalogue may vary from models available in your area.

Vehicle body colour might differ slightly from the printed photos in this catalogue.