TOYOTA LANDERUSER







TOYOTA

TOYOTA MOTOR CORPORATION

FJ/E-8702/ @/Printed in Japan/No.29105/6,000





















Short Wheelbase




Soft Top / Hard Top

The heavy-duty rough-terrain vehicles. Short Wheelbase Land Cruisers. Short Wheelbase Land Cruisers are the tough vehicles that take you to rough terrain. And now these rugged Land Cruisers, both Hard Top and Soft Top, have a fresh modern look. You'll notice the new styling immediately—a tough, masculine profile that updates the great Land Cruiser tradition. There's a new crisp front fender line and clean contemporary styling—an aerodynamic profile that employs curved glass, fit flush with the body panels to reduce drag for better high-speed cruising and economy. You'll also find 40% more glass area for better visibility.

Body type	Engine	Wheelbase	. Seating capacity
Hard Top	4.0-litre gasoline 3.4-litre diesel	Short	5, 6, 7
Soft Top	3.4-litre diesel	Short	7









Optional electric sunroof opens and closes with a single switch. Its fail-safe system takes the roof to the latch point when CLOSE is pushed, then stops. The switch must be pushed again to close the roof completely.

Middle Wheelbase



FRP Top

Get away from it all with modern styling and more space.

Middle Wheelbase Land Cruisers.

Here's a truly versatile Land Cruiser, with a new modern-looking top made of durable Fibre Reinforced Plastic (FRP). With its bright, contemporary good looks, Land Cruiser FRP Top sets a new standard for off-road vehicle styling. No matter what your leisure plans, the new Middle Wheelbase Land Cruisers are ready to take you there. The longer wheelbase and higher canopy top provide plenty of room inside for passengers to stretch out, and room left over in the rear for cargo. Comfortable and spacious, these Land Cruisers make a great way to get away.

Body type	Engine	Wheelbase	Seating capacity				
FRP Top	4.0-litre gasoline	1011	5				
Soft Top	3.4-litre diesel	Middle	9				







The FRP Top model looks as fresh and stylish inside as it does outside. The interior roll bar is designed to allow greater head room, and complements the stylish roof garnish. It's another example of Toyota's attention to detail and quality.

Long Wheelbase




Hard Top / Pickup

Hard-working vehicles you can trust. Long Wheelbase Land Cruisers.

For getting people or a payload to a remote site, nothing beats these big Land Cruisers—the Long Wheelbase Hard Top and Pickup. And like all Land Cruisers, they're built for working under the most adverse conditions. The new Pickup has clean new cab styling, and is now available with sporty side stripes. There's a large deck area, and improved heavy-duty leaf springs to carry big loads. The newly-styled Hard Top is remarkably spacious inside, with a higher roofline, wide cabin and plenty of space to carry lots of passengers in greater comfort than ever before.


Body type	Engine	Wheelbase	Seating capacity					
Hard Top	4.0-litre gasoline 4.0-litre diesel	long	6, 12*, 13					
Pickup	3.4-litre diesel	Long	3, 12, 13					
			*Except 3.4-litre diesel mode					
















range is yours. With the optional 90-litre extra fuel tank available for Pickups and Hard Tops. That's 180 litres in all, with separate fuel gauges in the dash to tell you at a glance how much running time is left.

LAND CRUISER II







Nimble and powerful new Land Cruiser II.

New Land Cruiser II is a rugged, fun-loving outdoor vehicle with surprising comfort and outstanding versatility. It's powered by your choice of a strong 2.4-litre gasoline engine or reliable 2.4-litre diesel. Both are designed for light weight and top fuel efficiency. But even though they're lighter, these are true Land Cruiser engines—durable and hard working. Land Cruiser II has coil springs on all four wheels for an extra-smooth ride and, of course, Land Cruiser's famous four-wheel drive transmission.

Body type	Engine	Wheelbase	Seating capacity					
Hard Top	2.4-litre gasoline	Short	5, 6, 7					
Soft Top	2.4-litre diesel	Short	7					









New Land Cruiser II's soft top can be completely removed so you can enjoy the out-of-doors more fully. Built-in roll bar stiffens the top, too. This convertible aspect adds to the sporty air of this new model.



Land Cruiser's surprising new interior comforts.

Land Cruiser is famous for off-road ruggedness. Now, Toyota has made it as comfortable as a passenger car inside. You'll find a crisp modern dash panel, big bright interior, and well-upholstered comfortable seats. In addition to thorough ventilation and great visibility, you'll find such unexpected optional luxuries as tilt steering, power windows and fine car stereo.

• Optional power steering adds driveability to Land Cruiser ruggedness. ● Optional tilt steering lets the driver set the wheel at the most comfortable angle. ● Optional AM/FM radio and hi-fi stereo. ● Optional accessory metre console includes an altimeter and thermometer. ● Digital multi-function clock adds the accuracy of crystal to stopwatch and alarm functions. ● Optional two-stage suspension seat smooths out Land Cruiser's on- and off-road ride.

Optional front bench seat swings forward for easy access to the rear. (Seat shown is of European specifications.) ③ Land Cruiser ventilation is optimal. ④: Front control is in the dash. ⑤: Optional rear controls for Short and Middle Wheelbase models. ⑥: Optional rear controls for Hard Top and Long Wheelbase models. ④ Optional console box. ⑥ Power windows are an option on Hard Top, Short Wheelbase and FRP Top models. ⑥ Optional rear wiper/

washer and defogger helps keep the view to the rear clear in all kinds of weather (Hard Top, Short Wheelbase and FRP Top models). Optional fog lamps provide added visibility. Optional roof-top rack. (Hard Top, Short/Long wheelbase models) Large side step facilitates access. The rear step bumper (optional for Pickup models)

Available options differ with grades and body types. Get details from your Toyota dealer. Station Wagon




Station Wagon



Handsome styling and greater comforts—luxurious Land Cruiser Station Wagon. Outdoor life will never be the same. Luxurious Land Cruiser Station Wagon brings high style and luxurious comfort to the toughness and dependability of Land Cruiser. Crisp aerodynamic styling improves high-speed stability and provides a new level of car-like comfort inside. Land Cruiser Station Wagon is available in Standard and High Roof variations in "Wagon G" and "Wagon" models and High Roof "Wagon GX" with a third seat. Land Cruiser Station Wagon has plenty of power, handles easily, and lives up to the Land Cruiser tradition of tough off-road performance and durability.


Grade	Body type	Engine	Seating capacity				
Wagon	Standard Roof	4.0-litre gasoline/diesel 3.4-litre diesel	5, 6, 9, 10				
	High Roof	4,0-litre gasoline	5, 6, 8, 9, 10				
Wagon G	Standard/High Roof	4.0-litre gasoline	5, 6				
Wagon GX	High Roof	4.0-litre diesel	8, 9				

















Land Cruiser Wagons now have front/rear air conditioning available. Controls are separate so the rear cooling can be set from either front or rear seats. Ducts are led to the ceiling between the second and third seats so that occupants of both get adequate cool air.

The pictures shown are of High Roof models.









swing-out doors.

Available options differ with grades and body types.

Get details from your Toyota dealer.

Inside the Station Wagon—exceptional comforts.

Hard to believe you're sitting in a rugged four-wheel-drive vehicle. Land Cruiser Station Wagon looks more like a well-appointed luxury car. Settle back in finely-upholstered soft seats that are moulded for excellent lateral support. Front seats recline to an almost flat position, and have adjustable head rests. The interior is fully carpeted, and finished in high quality trim. A handy console box between the front seats provides a convenient storage place for your small items. Turn on the air conditioner, relax with a little stereo music. This is a truly unique Land Cruiser experience.




Land Cruiser Wagon's instrument panel has been modernized and made more useful. Every control, every switch, and every meter is placed ergonometrically for convenience, letting you monitor the condition of the vehicle at all times. An automatic transmission allows virtually anyone to enjoy off-road driving. And four-wheel drive can be selected with one-touch 2-4 selector switch.



Toyota Quality—the secret of Land Cruiser's famous durability.

Every Toyota Land Cruiser undergoes extraordinary measures to protect it from the damaging effects of rust and corrosion. Galvanealed steel and newly-developed rust-resistant metals are used extensively. Body parts are shaped to prevent moisture from collecting inside. Bodies are dipped in electrodeposit anti-corrosion baths and get a thorough undercoating. Then, prototypes are tested for resistance to water and salt. But the most important test Land Cruiser has ever passed is the test of time. Satisfied owners have put Toyota to that test and come out winners. All over the world.



Land Cruiser set the standards in four-wheel-drive toughness. And today's Land Cruisers live up to that same high standard. The body and frame are built rugged and rigid. Frame plates are thick. And the whole is welded, not riveted, for frame strength. The new closed-section frame-building technique gives the new Land Cruisers a strong, rugged frame you can count on. Famous Land Cruiser toughness has gone a step further.

			LAND CRUI	CED											LAND CRUIS	CED II			LAND CRUIS	SER STATION	WACON					
SDECIEIC	CATIONS		Hard Top Soft Top FRP Top Soft Top Hard Top Pickup										Hard Top Soft Top					Wagon	LK SIMION	11/10011		Wagon G Wag			5X*10	
SPECIFIC	LATIONS													Short Wheelbase		por rop		Standard Roof			High Poof	Standard Roof		High Roof		
DIMENSIONS & WEIGHTS	rc		Short whee	ndase			ivildale vvn	eerbase	Long Wheel	ibase					Short whee	iDase			Staridard Ko	OI .		Tigit Kooi	Startdard Kt	,01	Tright Noor	
	3		4060				4350		4005			1005			4060				4675							
Overall length							4350		4995			4885			4060				1800							
Overall width		The state of the s	1690		4040			1055	12000			4035/404043	10204025	*3 1935/1940*	1005		1020	1915	1805			1910	1825		1945	
Overall height		mm.	1900		1910			1955	2080			1935/1940*3	1930/1935	1935/1940	1905		1920	1915	1805			1910	1023		1343	
Wheelbase		mm.	2310				2600		2980						2310				2730							
Tread	Front	mm.	1415																1475							
	Rear	mm.	1410												1400				1460							
Ground clearance		mm.	205						230						225				205				215		230	
Deck inside	Length*1	mm.	1065/875*5				1165	1355/1165*5	2085/1870*5			2155			1065/875*5				1765				1755			
	Width	mm.	nm. 1510/1170*6 1580/1170*6			1470	1580/1170*	1510/1170* ⁶		1600/1665*8	1260*9		1510/1170*6		1580/1170*6		1520									
	Height	mm.	1110		1130		1160	1130	1265			415/1375*9			1110		1130		1045			1145	1025		1125	
Kerb weight*2 (4-speed	ed manual)	kg.	1680~2020/ 1685~2025*4/ 1735~2060*7	1725~2040/ 1730~2045*4	1670~1945/ 1675~1950*4	1715~1965	1740~2040*4	1720~1955/ 1725~1960*4	1930~2310/ 1935~2315*4	2025~2405	1975~2355	1830~2165/ 1835~2170*4	1925~2260/ 1930~2265*4	1875~2210	1510~1775	1565~1825/ 1570~1830*4	1495~1690	1555~1755	1875/2250	1970~2310	1930~2285/ 1930~2280*4	1880~2275	1895~2295/ 1900~2300*4/ 1925~2320*7	2000~2350	1930~2320/ 1935~2320*4/ 1965~2375*7	2040-2420**
Gross vehicle weight		kg.	2410						3035						2210				2760			2910	2760		2910	
ENGINE				in a mean										Yes												
Туре			6-cyl. in-line OHV	e 4-cyl. in-lin OHV	e 6-cyl. in-line OHV	e 4-cyl. in-line OHV	e 6-cyl. in-lin OHV	e			4-cyl. in-line OHV	OHV in-line		4-cyl. in-line OHV	4-cyl. in-line OHC	9			6-cyl. in-line OHV		4-cyl. in-lir OHV	e 6-cyl. in-lin OHV	e			
			Gasoline	Diesel	Gasoline	Diesel	Gasoline			Diesel		Gasoline	Diesel		Gasoline	Diesel	Gasoline	Diesel	Gasoline	Diesel		Gasoline		Diesel	Gasoline	Diesel
Piston displacement		CC.	3955	3431	3955	3431	3955			3980	3431	3955	3980	3431	2366	2446	2366	2446	3955	3980	3431	3955		3980	3955	3980
Bore and stroke		mm.	94 x 95	102 x 105	94 x 95	102 x 105	94 x 95			91 x 102	102 x 105	94 x 95	91 x 102	102 x 105	92 x 89	92 x 92	92 x 89	92 x 92	94 x 95	91 x 102	102 x 105	94 x 95		91 x 102	94 x 95	91 x 102
Compression ratio		to 1	8.1	20.0	8.1	20.0	8.1			20.7	20.0	8.1	20.7	20.0	9.0	22.3	9.0	22.3	8.1	20.7	20.0	8.1		20.7	8.1	20.7
Max. horsepower (SAE	E net)	kW/rpm	101-108*7 / 4200	69/3500	101-108*7/ 4200	69/3500	101/4200			79/3500	69/3500	101/4200	79/3500	69/3500	77/4800	55/4000	77/4800	55/4000	101/4200	79/3500	69/3500	101/4200	108/4200	79/3500	108/4200	79/3500
Max. torque (SAE net)		Nm/rpm	275/2200	221/2100	275/2200	221/2100	275/2200			246/1800	221/2100	275/2200	246/1800	221/2100	184/3200	158/2200	184/3200	158/2200	275/2200	246/1800	221/2100	275/2200		246/1800	275/2200	246/1800
Fuel system	TO SEE SEE SEE		Down-draft,	2-barrel, sing	gle carburettor	(Gasoline en	gines); Distrib	ution type fue	l injection pur	mp (2.4-litre	Diesel engine	; In-line type	fuel injecti	ion (Other Die	sel engines)											
Fuel tank capacity		litres	90						90/180*11						90											
CHASSIS																										
Clutch			Single dry p	late with diap	ohragm springs	s (Manual tran	smission)																			
Suspension	Front		Semi-elliptic	leaf springs											Coil springs				Semi-elliptic	leaf springs						
	Rear		Semi-elliptic	leaf springs											Coil springs				Semi-elliptio	leaf springs						
Brakes	Front/Rear		Drum with	tandem mast	er cylinders an	nd booster																				
Transmission	4-speed manual		1st: 4.843; 2 1st: 3.928; 2	2nd: 2.618; 3 2nd: 2.333; 3	rd: 1.516; 4th: rd: 1.451; 4th:	: 1.000; Rev.: : 1.000; Rev.:	4.843 4.743 (Land C	Cruiser II))												
	5-speed manual		1st: 4.843; 2 1st: 3.928; 2	2nd: 2.618; 3 2nd: 2.333; 3	rd: 1.516; 4th: rd: 1.451; 4th:	: 1.000; 5th: (: 1.000; 5th: (0.845; Rev.: 4. 0.851; Rev.: 4.	.843 .743 (Land Cru	iser II)																	
	4-speed automat	ic	1st: 2.950; 2	2nd: 1.530; 3	rd: 1.000; 4th:	: 0.717; Rev.:	2.678																			
Transfer shift			2-speed, he	rical gear ratio	o; Low: 1.963,	High: 1.000 /	Low: 2.276, F	High: 1.000 (La	and Cruiser II)																	
Final reduction gear ra	atio	to 7	4.111/3.700	(4.0-litre gase	oline models v	with manual tr	ransmission)								4.300/4.875	(Diesel mode	ls)		4.111/3.700	(4.0-litre gase	oline models	with manual t	ransmission ar	nd 4.0-litre die	esel models)	
Steering			Ball nut																							
Min. turning radius (Ty	yres)	m.	5.3/5.7 (4WI	D)			5.8/6.2 (4W	(D)	6.5/6.9 (4WI	0)					5.3/5.7 (4W	(D)			6.2/6.7 (4W)	D)						
Tyres	Front/Rear		7.00-15-6PR	RLT					7.50-16-8PR	LT					7.00-15-6PR	RLT			7.00-15-6PR	LT			7.00-16-6P	RLT	7.50-16-6PF	RLT
*1: Rear seats folded	•7 · 4-	speed auto	omatic transmis.	sion models														• 7	oyota Motor C	orporation re	eserves the ri	ght to alter an	v details of sp	ecifications ar	nd equipment	without no

^{*1:} Rear seats folded
*2: Without rear seats models
*3: Heavy duty spec.
*4: 5-speed manual transmission models
*5: With transverse rear seats models
*6: With transverse third seat
*6: With transverse third seat
*6: With facing rear seats models
*6: With facing rear seats models

loyota Motor Corporation reserves the right to alter any details of specifications and equipment without notice. Details of specifications and equipment are also subject to change to suit local conditions and requirements. Please inquire at your local dealer for details of any such changes that might be required for your area.
 Note: Vehicles pictured in this catalogue may vary from models available in your area.
 Vehicle body colour might differ slightly from the printed photos in this catalogue.